

Conducted Energy Device

304.1 PURPOSE AND SCOPE

This policy provides guidelines for the issuance and use of the conducted energy device (CED).

304.2 POLICY

The CED is a "less than lethal" (NRS 289.510), which means a weapon that is designed and manufactured with the intent that it does not create a substantial risk of causing death or serious bodily injury when a person with appropriate training uses the weapon in accordance with the instruction of the manufacturer.

The CED is used in an attempt to control a violent or potentially violent individual. The appropriate use of such a device may result in fewer serious injuries to officers and suspects.

304.3 ISSUANCE AND CARRYING CEDS

Only members who have successfully completed department-approved training may be issued and may carry the CED.

The Department should keep a log of issued CED devices.

Officers shall only use the CED and cartridges/magazines that have been issued by the Department. Cartridges/magazines should not be used after the manufacturer's expiration date.

Uniformed officers who have been issued the CED shall wear the device in an approved holster.

Officers who carry the CED while in uniform shall carry it in a holster on the side opposite the duty weapon.

- (a) All CEDs shall be clearly distinguishable to differentiate them from the duty weapon and any other device.
- (b) For single-shot devices, whenever practicable, officers should carry an additional cartridge on their person when carrying the CED.
- (c) Officers should not hold a firearm and the CED at the same time.

Non-uniformed officers may secure the CED in a concealed, secure location in the driver's compartment of their vehicles.

304.3.1 USER RESPONSIBILITIES

Officers shall be responsible for ensuring that the issued CED is properly maintained and in good working order. This includes a function test and battery life monitoring, as required by the manufacturer, and should be completed prior to the beginning of the officer's shift.

CEDs that are damaged or inoperative, or cartridges/magazines that are expired or damaged, shall be returned to the Department for disposition.

Conducted Energy Device

304.4 VERBAL AND VISUAL WARNINGS

A verbal warning of the intended use of the CED should precede its application, unless it would otherwise endanger the safety of officers or when it is not practicable due to the circumstances.

The purpose of the warning is to:

- (a) Provide the individual with a reasonable opportunity to voluntarily comply.
- (b) Provide other officers and individuals with a warning that the CED may be deployed.

If, after a verbal warning, an individual fails to voluntarily comply with an officer's lawful orders and it appears both reasonable and feasible under the circumstances, the officer may, but is not required to, activate any warning on the device, which may include display of the electrical arc, an audible warning, or the laser in a further attempt to gain compliance prior to the application of the CED. The laser should not be intentionally directed into anyone's eyes.

304.5 USE OF THE CED

The CED has limitations and restrictions requiring consideration before its use. The CED should only be used when its operator can safely deploy the device within its operational range. Although the CED may be effective in controlling most individuals, officers should be aware that the device may not achieve the intended results and be prepared with other options.

If sufficient personnel are available and can be safely assigned, an officer designated as lethal cover for any officer deploying a CED may be considered for officer safety.

304.5.1 APPLICATION OF THE CED

The CED may be used when the circumstances reasonably perceived by the officer at the time indicate that such application reasonably appears necessary to control a person who:

- (a) Is violent or is physically resisting.
- (b) Has demonstrated, by words or action, an intention to be violent or to physically resist, and reasonably appears to present the potential to harm officers, themselves, or others.

Mere flight from a pursuing officer, without additional circumstances or factors, is not good cause for the use of the CED to apprehend an individual.

The CED shall not be used to psychologically torment, to elicit statements, or to punish any individual.

304.5.2 SPECIAL DEPLOYMENT CONSIDERATIONS

The use of the CED on certain individuals should generally be avoided unless the totality of the circumstances indicates that other available options reasonably appear ineffective or would present a greater danger to the officer, the subject, or others, and the officer reasonably believes that the need to control the individual outweighs the potential risk of using the device. This includes:

- (a) Individuals who are reported or known to be pregnant.
- (b) Elderly individuals or obvious juveniles.
- (c) Individuals with obviously low body mass.

Reno Police Department

Policy Manual

Conducted Energy Device

- (d) Individuals who are handcuffed or otherwise restrained.
- (e) Individuals known to have been recently sprayed with a flammable chemical agent or who are otherwise known to be in close proximity to any known combustible vapor or flammable material, including alcohol-based oleoresin capsicum (OC) spray.
- (f) Individuals whose position or activity is likely to result in collateral injury (e.g., falls from height, located in water, operating vehicles).

304.5.3 TARGETING CONSIDERATIONS

Recognizing that the dynamics of a situation and movement of the subject may affect target placement of probes, when practicable, officers should attempt to target the back, lower center mass, and upper legs of the subject, and avoid intentionally targeting the head, neck, area of the heart, or genitals. If circumstances result in one or more probes inadvertently striking an area outside of the preferred target zones, the individual should be closely monitored until examined by paramedics or other medical personnel.

304.5.4 MULTIPLE APPLICATIONS OF THE CED

Once an officer has successfully deployed two probes on the subject, the officer should continually assess the subject to determine if additional probe deployments or cycles reasonably appear necessary. Additional factors officers may consider include but are not limited to:

- (a) Whether it is reasonable to believe that the need to control the individual outweighs the potentially increased risk posed by multiple applications.
- (b) Whether the probes are making proper contact.
- (c) Whether the individual has the ability and has been given a reasonable opportunity to comply.
- (d) Whether verbal commands or other options or tactics may be more effective.

Given that on certain devices (e.g., TASER 10™) each trigger pull deploys a single probe, the officer must pull the trigger twice to deploy two probes to create the possibility of neuro-muscular incapacitation.

304.5.5 ACTIONS FOLLOWING DEPLOYMENTS

Officers should take appropriate actions to control and restrain the individual as soon as reasonably practicable to minimize the need for longer or multiple exposures to the CED. As soon as practicable, officers shall notify a supervisor any time the CED has been discharged. If needed for evidentiary purposes, the expended cartridge, along with any probes and wire, should be submitted into evidence (including confetti tags, when equipped on the device). The evidence packaging should be marked "Biohazard" if the probes penetrated the subject's skin.

304.5.6 DANGEROUS ANIMALS

The CED may be deployed against an animal if the animal reasonably appears to pose an imminent threat to human safety.

Reno Police Department

Policy Manual

Conducted Energy Device

304.5.7 OFF-DUTY CONSIDERATIONS

Officers are not authorized to carry department CEDs while off-duty.

Officers shall ensure that CEDs are secured while in their homes, vehicles, or any other area under their control, in a manner that will keep the device inaccessible to others.

304.6 DOCUMENTATION

Officers shall document all CED discharges in the related arrest/crime reports and the CED report forms. Photographs should be taken of any obvious probe impact or drive-stun application sites and attached to the CED report form. Notification shall also be made to a supervisor in compliance with the Use of Force Policy. Data downloads from the CED after use on a subject should be done as soon as practicable using a department-approved process to preserve the data.

304.7 SUPERVISOR RESPONSIBILITIES

When possible, supervisors should respond to calls when they reasonably believe there is a likelihood the CED may be used. A supervisor should respond to all incidents where the CED was activated.

A supervisor should review each incident where a person has been exposed to a CED. The device's internal logs should be downloaded by a supervisor or Rangemaster and saved with the related arrest/crime report and use of force report. The supervisor should arrange for photographs of probe sites to be taken and witnesses to be interviewed.

304.8 TRAINING

Personnel who are authorized to carry the CED shall be permitted to do so only after successfully completing the initial department-approved training.